



OPAL SO3700/TC/DP - 8/30W

LED Oyster 8 to 30 watt with selectable colour temperature and dual power

Application

A perfect choice for apartments or commercial spaces

Design Specifications

- Select colour temperature with DIP switch 3000K / 4000K / 6000K
- Durable powder coated steel body profile with a high performance opal PMMA diffuser
- High efficiency SMD LED chips, CRI > 80
- Integral constant current non-dimmable LED driver
- Integral dual power selection for DP models
- Two versatile profile sizes 8/16 or 15/30 watt, Microwave sensor option (SO3700/40L/TC/DP), corridorSTANDBY options available



Performance

Dimmable - **OPTIONAL**

Dimmer Type - **Trailing edge, 1-10V, DALI / DSI**

(SO3700/40L/TC/DP)

In Built Sensor - **OPTIONAL**

Technical Specification

Model No.	Input Voltage (V/AC)	Multiple Wattage	Power (W)	Lumens (lm)	CCT (K)	CRI
SO3700/30L/TC/DP	240	8/16		1160/1260/1200	3000/4000/6000	80
SO3700/40L/TC/DP	240	15/30		2450/2680/2550	3000/4000/6000	80
SO3700/40L/TC/C	240		16	1380/1430/1420	3000/4000/6000	80

Model No.	Beam Angle (°)	Body Colour	Diameter (mm)	Dim (mm)	IPART
SO3700/30L/TC/DP	120	White	310	100(H)	YES
SO3700/40L/TC/DP	120	White	390	112(H)	YES
SO3700/40L/TC/C	120	White	390	112(H)	YES



Note: Lumens (lm) values shown are at full power rating

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Photometric Data

Unit: cd C0/C180 _____ C90/C270 _____

SO3700/30L/TC/DP at 4000K **SO3700/40L/TC/DP at 4000K**



PIXIE AMBIENCE, CHANGE YOUR STYLE.



PIXIE AMBIENCE GPO SMART SOCKET
SPO23/BTAM



For more
information
please
scan me

